

TEGO® Emulsion ASL

Product description

TEGO® Emulsion ASL is an aqueous emulsion of a medium-viscous methyl silicone oil.

Physical properties

Solid content	32 – 34 %
Density at 20 °C	approx. 1.0 g/cm ³
Type of emulsion	O/W
Type of emulsifier	non-ionic
Efflux time (3mm cup; DIN EN 535/23 °C)	35 ± 4 sec.

Fields of application

It can be diluted to any extent with distilled or deionised water. TEGO® Emulsion ASL is widely used for mould release of natural and synthetic rubber products like new or recapped tires and mechanical rubber goods. It is also used for the release of thermosetting and thermoplastic products and for zinc die casting.

Registration status

The inventories of TEGO® Emulsion ASL are listed in the following chemical inventories:

EINECS, TSCA, AICS, CHINA, DSL

Storage Stability

In closed containers TEGO® Emulsion ASL can be stored up to 6 months.

Protect it from frost!

Packaging

50 kg Plastic drum (300 kg per pallet)

200 kg Plastic Drum (800 kg pro Palette)

1000 kg Container

Hazardous goods classification

Information concerning

- classification and labelling according to regulations for transport and for dangerous substances
- protective measures for storage and handling
- measures in case of accidents and fire
- toxicity and ecological effects

is given in our material safety data sheets.

07/2015

Trademark notice and legal notice

This information and all further technical advice are based on our present knowledge and experience. However, it implies no liability or other legal responsibility on our part, including with regard to existing third party intellectual property rights, especially patent rights. In particular, no warranty, whether express or implied, or guarantee of product properties in the legal sense is intended or implied. We reserve the right to make any changes according to technological progress or further developments. The customer is not released from the obligation to conduct careful inspection and testing of incoming goods. Performance of the product described herein should be verified by testing, which should be carried out only by qualified experts in the sole responsibility of a customer. Reference to trade names used by other companies is neither a recommendation, nor does it imply that similar products could not be used.

(Status: July 2015)

Evonik Nutrition & Care GmbH

Goldschmidtstr. 100, 45127 Essen, Germany

Phone Europe +49 201 173-2665, Asia +86 21 61191 125, Americas +1 804 727 0700

interface-performance@evonik.com, www.evonik.com/interface-performance